

SWARTLAND WEST COAST SPCA
INSPECTOR REPORT

I749

Complaint Reference No.

Building:
Street: 64 PLATINUM ROAD
Suburb:
Postal Code:
Inspector: CARINA BODENSTEIN
Date of Inspection: 2024-09-27
Time of Inspection: 14:29

RESPONDENT'S DETAILS

Name: JEAN
Company: CARTOL
Identification:
Email:
Tel 1:
Tel 2:

REPORT

Access Granted By: JEAN TREDOUX
Comment:
Were Animals Seen on the Property: Yes
Relationship to Property Owner: Worker
Captured By: CARINA BODENSTEIN 2024-10-04 14:31

CHECKLISTS

CONFINEMENT OF ANIMALS	Caged - adequate space	ABATTOIR
ADEQUATE SPACE AVAILABLE	Yes	
CLEAN LIVING ENVIRONMENT	Yes	
WATER AVAILABLE	Yes	
ADEQUATE SHELTER AVAILABLE	Yes	
ANIMALS IN GOOD CONDITION	Yes	
VETERINARY PROBLEMS / HEALTH CO	No	

General Report Comments: ABATTOIR INSPECTION CODUCTED. ONLY SHEEP WAS SLAUGHTERED CONCERNS OBSERVED, AS PER THE WARNING ISSUED:

You are hereby warned that:
In light of an inspection conducted on the 26th of September 2024, the following concerns and contraventions were observed and must be rectified prior to the next slaughter:

- 1. Multiple sheep were placed together inside the stun-box, where multiple sheep were then stunned and then hoisted, resulting animals observing the death/slaughter process of another, as well as an exceedance of the stun-to-bleed time of 60 seconds.
 - a. Animals may not observe the death/slaughter process of another. Only 1 animal may be placed inside the stun box at a time, and only when the animal has been effectively stunned and hoisted away from the stun-box may another animal be presented.
 - b. The stun-to-bleed time may not exceed 60 seconds.
- 2. Animals kept on the left side of the lairages have a direct view at the beef stun-box and are likely to observe the stun/slaughter process. As discussed, a screen consisting of suitable material must be implemented to ensure no animal has a direct view of the beef stun-box.
- 3. The V & Amp's meter box did not indicate any readings during the stun of animals , and correct readings could not be taken to verify whether the stunner was malfunctioning, as multiple stuns appeared to be ineffective. A calibration test is required to ensure the current is accurate , and that the animals are stunned effectively with the utilised equipment .

You are reminded to at all times operated within the perimeters of the Animals Protection Act 71 of 1962, the Meat Safety Act 40 of 2000 with reference to the Red Meat Regulation No. 1072

CATTLE WILL BE SLAUGHTERED NEXT WEEK - WILL FOLLOW UP THEN

ACTIONS	
Warning Issued	W6687

REPORT OUTCOMES	
Follow-up inspection to be conducted	2024-10-04
Follow-up inspection to be conducted	2024-10-04

INSPECTION ANIMALS	
Description:	
2 x CATTLE (COW) - UNSTERILISED FEMALES (COLOUR: Brown) CONDITION: Good	
Description:	
8 x PIGS (GREAT WHITE PIG) - (COLOUR: White) CONDITION: Good	
Description:	
12 x GOATS / SHEEP (SHEEP - MERINO) - CONDITION: UNSPECIFIED	
Description:	
50 x PIGS (PIGS) - CONDITION: UNSPECIFIED	